

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.



INVENTORY LIST VOLUME # 11

Please call one of our trained Motor Specialists if you do not see a motor that meets your requirements, as our inventory changes daily.

Toll Free Phone (800) 877-7520 • Local Phone (225) 292-7895 • Toll Free Fax (800) 272-7520 • Local Fax (225) 292-9243

Headquarters – 11048 Cloverland Avenue • Baton Rouge, Louisiana • 70809

www.NEMSCO.com • info@NEMSCO.com

NEW SPECIALTY INVENTORY LIST

HP	RPM	DESCRIPTION
100	1200	TOSHIBA, FRAME 444T, BALL BRGS, TEFC-IEEE841, 460V
125	3600	GE, FRAME 447/9TS, BALL BRGS, TEFC-SD-EE, 2300V
150	1200	MARATHON, FRAME 447/9T, BALL BRGS, TEFC-SD, 2300/4160V
150	1800	GE, FRAME 447/9T, BALL BRGS, TEFC-SD-EE, 2300/4000V
150	3600	GE, FRAME 447/9TS, BALL BRGS, TEFC-SD-EE, 2300V
200	1200	GE, FRAME 508/9L, ROLLER BRGS, BELT LOAD, TEFC-SD-EE, 2300/4000V
200	1200	GE, FRAME 508/9LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
200	1200	MARATHON, FRAME 447/9T, BALL BRGS, TEFC-SD, 2300/4160V
200	1800	GE, FRAME 447/9T, BALL BRGS, TEFC-SD-EE, 2300/4000V
200	1800	MARATHON, FRAME 445T, BALL BRGS, TEFC-SD-IEEE841, 460V
200	1800	MARATHON, FRAME 445T, ROLLER BRGS, BELT LOAD, TEFC-SD-EE, 460V
200	1800	MARATHON, FRAME 447/9T, BALL BRGS, TEFC-SD-EE, 2300/4000V
200	3600	GE, FRAME 447/9TS, BALL BRGS, TEFC-SD-EE, 2300V
200	3600	MARATHON, FRAME 447/9TS, BALL BRGS, TEFC-SD, 2300/4160V
250	1200	GE, FRAME 508/9L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
250	1200	GE, FRAME 508/9LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
250	1800	GE, FRAME 508/9LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
250	1800	MARATHON, FRAME 447 /9T, BALL BRGS, TEFC-SD-EE, 2300/4000V
250	3600	GE, FRAME 508/9LS, BALL BRGS, TEFC-SD-EE, 2300/4000V
250	3600	GE, FRAME 509LS, SLEEVE BRGS, WP11, 2300/4000V
250	3600	MARATHON, FRAME 447/9TS, BALL BRGS, TEFC-SD, 2300/4160V
300	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
300	1200	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
300	1800	GE, FRAME 508/9LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
300	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRGS, TEFC-SD, 2300/4000V
300	3600	GE, FRAME 508/9LS, BALL BRGS, TEFC-SD-EE, 2300/4000V
300	3600	GE, FRAME 509LS, SLEEVE BRGS, WP11, 2300/4000V
350	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
350	1200	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
350	1800	GE, FRAME 5010/11II, BALL BRGS, TEFC-SD-EE, 2300/4000V
350	1800	TOSHIBA, FRAME 5009/10/11 US, BALL BRGS, TEFC-SD, 2300/4160V
350	3600	GE, FRAME 509LS, SLEEVE BRGS, WP11, 2300/4000V
350	3600	GE, FRAME 5011/10LS, BALL BRGS, TEFC-SD-EE, 2300/4000V
400	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
400	1200	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
400	1800	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
400	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRGS, TEFC-SD, 2300/4160V
400	3600	GE, FRAME 509LS, SLEEVE BRGS, WP11, 2300/4160V
400	3600	GE, FRAME 5010/11LS, BALL BRGS, TEFC-SD-EE, 2300/4000V
400	3600	TOSHIBA, FRAME 5009/10/11USS, BALL BRGS, TEFC-SD, 4160V
450	1200	GE, FRAME 5011L/LL, BELT/DIRECT, WP11, 2300/4000V
450	1200	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
450	1800	GE, FRAME 5010/11LL, BALL BRGS, TEFC-SD-EE, 2300/4000V
450	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRGS, TEFC-SD, 2300/4160V
450	1800	TOSHIBA, FRAME 5009/10/11US, SLEEVE BRGS, TEFC-SD-EE, 2300/4160V
450	3600	GE, FRAME 509LS, BALL BRGS, WPI, 2300/4000V
450	3600	GE, FRAME 509LS, SLEEVE BRGS, WP11, 2300/4160V
450	3600	GE, FRAME 5010/11LS, BALL BRGS, TEFC-SD-EE, 2300/4000V

NEW SPECIALTY INVENTORY LIST(cont.)

HP	RPM	DESCRIPTION
500	1200	GE, FRAME 5011L/LL, BELT/DIRECT, WP II, 2300/4000V
500	1200	GE, FRAME 5012/13S, BALL BRGS, TEFC-SD-EE, 2300/4000V
500	1800	GE, FRAME 5012/13S, BALL BRGS, TEFC-SD-EE, 2300/4000V
500	1800	TOSHIBA, FRAME 509US, BALL BRGS, DP, 2300/4160V
500	1800	TOSHIBA, FRAME 5009/10/11 US, BALL BRGS, TEFC-SD, 2300/4160V
500	3600	GE, FRAME 509LS, BALL BRGS, WPI, 2300/4000V
500	3600	GE, FRAME 509LS, SLEEVE BRGS, WP II 2300/4160V
500	3600	GE, FRAME. 5012/13ST, BALL BRGS, TEFC-SD-EE, 2300/4000V
600	1800	GE, FRAME 5012/13S, BALL BRGS, TEFC-SD-EE, 2300/4000V
600	3600	GE, FRAME 509LS, SLEEVE BRGS, WP II 2300/4160V
600	3600	GE, FRAME 5012/13ST, BALL BRGS, TEFC-SD-EE, 2300/4000V
600	3600	TOSHIBA, FRAME 5011/12 USS, SLEEVE BRGS, WP II, 2300/4000V
700	3600	TOSHIBA, FRAME 5011/12 USS, SLEEVE BRGS, WP II, 2300/4000V
800	3600	TOSHIBA, FRAME. 5811/12USS, SLEEVE BRGS, WP II, 4000V
900	1800	TOSHIBA, FRAME 5810/12 US, SLEEVE BRGS, WP II, 2300/4000V
900	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
1000	1800	TOSHIBA, FRAME 5810/12 US, SLEEVE BRGS, WP II, 2300/4000V
1000	3600	GE, FRRAME 8210S, INV. DUTY, SLEEVE BRGS, WP II, 2300/4000V
1000	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
1250	1800	TOSHIBA, FRAME 5810/12 US, SLEEVE BRGS, WP II, 2300/4000V
1250	3600	GE, FRAME 8210S, INV. DUTY, SLEEVE BRGS, WP II, 2300/4000V
1250	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
1500	900	TOSHIBA, FRAME, 6813UZ, SLEEVE BRGS, WP II, 4000V
1500	1800	TOSHIBA, FRAME 5810/12 US, SLEEVE BRGS, WP II, 2300/4000V
1500	3600	GE, FRAME 8210S, INV. DUTY, SLEEVE BRGS, WP II, 2300/4000V
1500	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
1750	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
2000	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRGS, WP II, 2300/4000V
2500	1200	TOSHIBA, FRAME 6813US, SLEEVE BRGS, WP II, 4000V

X\$D Ultra[®] 841

NEMA Premium VSS Pump Motors



*All pump
motors are
NOT built
the same!*

IP56 Protection
Inverter Duty
Class H Insulation
All Cast Iron Construction
Meets IEEE 841 Standards
Exceeds NEMA MG1 Part 31

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

Phone (800) 877-7520 · (225) 292-7895

Fax (800) 272-7520 · (225) 292-9243

11048 Cloverland Avenue

Baton Rouge, Louisiana 70809

www.NEMSCO.com · info@NEMSCO.com

NEW VERTICALS

HP	RPM	DESCRIPTION
3	1800	GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
3	1800	GE, FRAME L182LP10, INLINE, TEFC-SD-IEEE841, 460V
3	1800	GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
3	3600	GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
3	3600	GE, FRAME L182LP10, INLINE, TEFC-SD-IEEE841, 460V
3	3600	GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
5	1800	GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
5	1800	GE, FRAME L184LP10, INLINE, TEFC-SD-IEEE841, 460V
5	1800	GE, FRAME L184TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
5	1800	GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
5	3600	GE, FRAME L184HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
5	3600	GE, FRAME L184LP10, INLINE, TEFC-SD-IEEE841, 460V
5	3600	GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
7.5	1800	GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
7.5	1800	GE, FRAME L213LP10, INLINE, TEFC-SD-IEEE841, 460V
7.5	1800	GE, FRAME L213TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
7.5	1800	GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
7.5	3600	GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
7.5	3600	GE, FRAME L213LP10, INLINE, TEFC-SD-IEEE841, 460V
7.5	3600	GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
10	1800	GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
10	1800	GE, FRAME L215LP10, INLINE, TEFC-SD-IEEE841, 460V
10	1800	GE, FRAME L215TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
10	1800	GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
10	3600	GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
10	3600	GE, FRAME L215LP10, INLINE, TEFC-SD-IEEE841, 460V
10	3600	GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
15	1800	GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
15	1800	GE, FRAME L254LP10, INLINE, TEFC-SD-IEEE841, 460V
15	1800	GE, FRAME L254TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
15	1800	GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
15	3600	GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
15	3600	GE, FRAME L254LP10, INLINE, TEFC-SD-IEEE841, 460V
15	3600	GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
20	1800	GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/4640V
20	1800	GE, FRAME L256LP10, INLINE, TEFC-SD-IEEE841, 460V
20	1800	GE, FRAME L256TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
20	1800	GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
20	3600	GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/4640V
20	3600	GE, FRAME L256LP10, INLINE, TEFC-SD-IEEE841, 460V
20	3600	GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
25	1800	GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
25	1800	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEE841, 460V
25	1800	GE, FRAME L284VP16, HIGH THRUST, TEFC-XP, 230/460V
25	1800	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEE841, 460V
25	1800	GE, FRAME L284TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
25	1800	GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
25	3600	GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V

NEW VERTICALS (cont.)

HP	RPM	DESCRIPTION
25	3600	GE, FRAME L284LP10, INLINE, TEFC-SD-IEEE841, 460V
25	3600	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEE841, 460V
25	3600	GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
25	3600	GE, FRAME L284VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
30	1800	GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	1800	GE, FRAME L286LP10, INLINE, TEFC-SD-IEEE841, 460V
30	1800	GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
30	1800	GE, FRAME L286LP16, INLINE, TEFC-SD-IEEE841, 460V
30	1800	GE, FRAME L286TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
30	1800	US, FRAME 286TPA12, VHS, HIGH THRUST, TEFC 230/460V
30	3600	GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	3600	GE, FRAME L286LP10, INLINE, TEFC-SD-IEEE841, 460V
30	3600	GE, FRAME L286LP16, INLINE, TEFC-SD-IEEE841, 460V
30	3600	GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEE841, 460V
30	3600	GE, FRAME L286VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
30	3600	GE, FRAME L286HPH16, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	3600	GE, FRAME L286TP16, VHS-NRR, HIGH THRUST, TEFC-SD, 230/460V
40	1800	GE, FRAME L324LP12, INLINE, TEFC-SD-IEEE841, 460V
40	1800	GE, FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEE841, 460V
40	1800	GE, FRAME L324LP16, INLINE, TEFC-SD-EE-IEEE841, 460V
40	1800	GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-EE-IEEE841, 460V
40	1800	GE, FRAME L324TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
40	3600	GE, FRAME L324LP12, INLINE, TEFC-SD-IEEE841, 460V
40	3600	GE FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEE841, 460V
40	3600	GE, FRAME L324HP16, NORMAL THRUST, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
40	3600	GE, FRAME L324LP16, INLINE, TEFC-SD-IEEE841, 460V
50	1800	GE, FRAME L326LP12, INLINE, TEFC-SD-IEEE841, 460V
50	1800	GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEE841, 460V
50	1800	GE, FRAME L326LP16, INLINE, TEFC-SD-IEEE841, 460V
50	1800	GE, FRAME L326TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
50	1800	GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
50	3600	GE, FRAME L326LP12, INLINE, TEFC-SD-IEEE841, 460V
50	3600	GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEE841, 460V
50	3600	GE, FRAME L326HP16, NORMAL THRUST TEFC-SD-EE, 460V
50	3600	GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
50	3600	GE, FRAME L326LP16, INLINE, TEFC-SD-IEEE841, 460V
50	3600	TOSHIBA, FRAME 326LP16, INLINE, TEFC-SD, 460V
60	1800	GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
60	1800	GE, FRAME L364TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364HP16, NORMAL THRUST, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364LP16, INLINE, TEFC-SD-IEEE841, 460V
60	3600	GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
75	1800	GE, FRAME L365LP16, INLINE, TEFC-SD-IEEE841, 460V
75	1800	GE, FRAME L365VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
75	1800	GE, FRAME L365TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365HP16, NORMAL THRUST, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365LP16, INLINE, TEFC-SD-IEEE841, 460V

NEW VERTICALS (cont.)

HP	RPM	DESCRIPTION
75	3600	GE, FRAME L364TP16, HIGH THRUST, VHS, WPI, 460V, PWS
75	3600	GE, FRAME L365VP16, EXTRA HIGH THRUST, TEFC-SD-IEEE841, 460V
100	1800	GE, FRAME L405LP16, INLINE, TEFC-SD-IEEE841, 460V
100	1800	GE, FRAME L405TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
100	1800	GE, FRAME L405VP16, HIGH THRUST, TEFC-SD-EE-IEEE841, 460V
100	3600	GE, FRAME L405HP16, NORMAL THRUST, HIGH TEMP, TEFC-SD-EE, 460V
100	3600	GE, FRAME L405VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
100	3600	GE, FRAME L405LP16, INLINE, TEFC-SD-EE-IEEE841, 460V
125	1800	GE, FRAME L444TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
125	1800	GE, FRAME L444VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
125	3600	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
150	1800	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
150	1800	GE, FRAME L445TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
150	3600	GE, FRAME L445LP16, INLINE, TEFC-SD-IEEE841, 460V
150	3600	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
200	900	USEM, FRAME 5807P, NORMAL THRUST, TEFC-SD-EE, 460V
200	1800	GE, FRAME L447VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
200	1800	GE, FRAME L447TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
200	3600	GE, FRAME L447LP16, INLINE, TEFC-SD, 460V
200	3600	GE, FRAME L447VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
250	1800	GE, FRAME L449VP24, EXTRA HIGH THRUST, TEFC-SD, 460V
250	3600	GE, FRAME L449VP20, EXTRA HIGH THRUST, TEFC-SD, 460V

SURPLUS/USED INVENTORY

HP	RPM	DESCRIPTION
1	1735	MARATHON BRAKE MOTORS, FR, 143TCVZ FOOTLESS, TENV (10)
40	1170	SIEMENS ALLIS, FRAME 404U, BALL BRGS, TEFC, 440V (USED)
50	1180	WEST, FRAME 365T, BALL BRGS, ODP, 230/460V (USED)
60	880	RELIANCE, FR.405T, BALL BRGS, TEFC-SD, 460V, (R&G)(2)
60	1775	WEST, FR.360VPZ, VSS, H/T, TEFC, 220/440V, (R&G)
75	900	GE, FR.445TP20, VSS, INLINE, TEFC, 460V, (USED)
75	3560	GE, FR.365TSD, BALL BRGS, XSD, TEFC-SD, 460V, (USED)
100	1780	LOUIS ALLIS, FR.405T, BALL BRGS, TEFC-XP, 230/460V, (USED)
100	1780	MARATHON, FRAME 405TS, BALL BRGS, TEFC, 230/460V (R&G)
100	1790	GE, FRAME 405T, BALL BRGS, TEFC-SD, 460V(USED)
100	3565	RELIANCE, FR.404/5TS, BALL BRGS, TEFC-SD, 460V, (R&G)
125	720	RELIANCE, FRAME 449HP16, VSS, NORMAL THRUST, TEFC-EE, 460V (NEW SURPLUS)
125	1200	ALLIS CHALMERS, FRAME 445TS, BALL BRGS, TEFC, 460V (R&G)
150	1780	GE, FRAME 6288P16, HT, VHS, TEFC, 2300V, (USED)
150	1800	GE, FRAME 445TS, BALL BRGS, TEFC-IEEE841, 460V (USED)
150	3570	CONT ELECTRIC, FR.NFV505P, N/T, TEFC, 440V, (USED)
150	3570	GE, FRAME L444VP16, VSS, HIGH THRUST, TEFC, 460V (USED)
200	1765	GE, FRAME 6326S, BALL BRGS, TEFC, 460V(USED)
200	1775	GE, FRAME 6286P24, HT, VHS, WPI, 2300V, (USED)
200	1785	RELIANCE, FR.445TS, BALL BRGS, TEFC-SD, 460V, (R&G)
200	3570	SIEMENS ALLIS, FR.447TS, BALL BRGS, TEFC-SD, 460V (R&G)
200	3577	WEST, FR.5008H, BALL BRGS, WP11, 4000V (R&G)(2)
250	1190	GE, FRAME 5011LL, BALL BRGS, TEFC-SD, 4000V (R&G)(Qty2)
250	1200	TOSHIBA, FRAME 447/9TS, ROLLER BRGS, BELT LOAD, TEFC-SD-IEEE841 (NEW SURPLUS)
250	1790	BALDOR, FR.5007LZ, BALL BRGS, TEFC-SD, 2300/4160V(NEWSURPLUS)
250	3600	IEM, FRAME 445TDZ, BALL BRGS, ODP, 575V/460V, (NEWSURPLUS)
250	3600	MARATHON, FRAME 447/9TS BALL BRGS, TEFC-SD, 460V (R&G)
250	3600	TECO/WEST, FRAME 449TS, BALL BRGS, TEFC-SD-IEEE841, 460V (SURPLUS)
300	885	GE, FR.8266S, SLV BRG, ODP, 2300V, (USED)
300	1190	GE, FRAME L509TP24, VHS, EXTRA HIGH THRUST, NRR, WPI, 460V (R&G)
300	1192	GE, FR.5011LL, BALL BRGS, TEFC-SD, 2300/4160V(USED)
300	1785	GE, FR.509LL, SLV BRGS, TEFC-SD, 2300V(R&G)(2)
300	1785	USEM, FR.5807S, BALL BRGS, TEFC-XP, (USED)
300	3600	GE, FR.5011LSC, BALL BRGS, F-2, TEFC-SD-EE (NEWSURPLUS)
350	1190	GE, FR.5011LL, BALL BRG, TEFC-SD, 2300/4160V, (USED)
350	1775	SIEMENS ALLIS, FRAME 26BS8, BALL BRG, TEFC, 460V(R&G)
350	1800	GE, FRAME 8110S, BALL BRGS, TEFC-SD, 2300V (R&G)
350	1800	WEST, FRAME 5010S, BALL BRGS, TEFC, 2300V (R&G)
350	3577	IEM, FRAME 5008P24, VSS, HIGH THRUST, TEFC-SD, 460V (R&G)
400	900	WEST, FR.685.5P30, VSS-HT, WPI, 4000V(USED)
400	1785	US, FRAME 5809PH, XHT, VHS, TEFC, 4160V(R&G)
400	3561	WEST, FR.5008H, BALL BRGS, WP11, 460V, (USED)(2)
400	3575	TECO/WEST, FRAME 5009A, BALL BRGS, TEFC-SD, 460V, (R&G)
400	3576	RELIANCE, FRAME 5010S, BALL BRGS, TEFC-SD, 2300/4000V, (R&G)
500	1780	GE, FRAME 8288S, SLV BRGS, WP11, 2300V, (R&G)
600	3579	IEM, FR.5808P30, VSS, N/T, WP11, 4160V, (NEW SURPLUS)
700	3580	WESTINGHOUSE, FRAME 6810H, SLV BRGS, TEFC, 2300V, (R&G)
800	890	US, FRAME 6810P30, XHT, VSS, WP11, 4000V, (R&G)

SURPLUS/USED INVENTORY (cont.)

HP	RPM	DESCRIPTION
800	1790	LOUIS ALLIS, FR.687SU, SLV BRGS, ODP, 4160V, (USED)
800	3560	LOUIS ALLIS, FRAME 7110BS, SLV BRGS, WP11, 2300V, (USED)(Qty2)
1000	3560	GENERAL DYN, FR.5810S, SLV BRGS, WPI, 2400V, (USED)
1250	1800	WEST, FR.4509, SLV BRGS, WP11, 4160V, (R&G)(2)
1250	3565	TECO/WEST, FRAME 5810H, SLV BRGS, WP II 2300/4160V (USED)
1500	1780	GENERAL DYN, FR.6810M, SLV BRGS, WP11, 4000V, (USED)
1500	3565	TECO/WEST, FRAME 5810H, SLV BRGS, WP II 2300/4160V (USED)
1500	3570	LOUISALLIS, FR.7310Z, SLV BRGS, WP11, 4000V, (R&G)
2000	3580	SIEMENS ALLIS, FR.3023SS6, SLV BRGS, WP11, 4000V, (USED)
2250	3580	GE, FR.8511S, SLV BRGS, WP11, 6600/4000V, (USED)

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

NEWS & UPDATES

Here at NEMSCO, we are constantly looking for ways to better serve our customers and the needs of the industry. We are now stocking spline shaft vertical motors for Sundyne/Sundstrand pumps as well as vertical motors for Buffalo Pumps.

Sundyne/Sundstrand Vertical Pump Motor Replacements

Internal spline shaft motors ready to ship in 4-5 days!

GE Vertical Pump Motors Available:

VPZ, High Thrust

LPZ, Inline Thrust

HPZ, Normal Thrust



Also Available: Buffalo Vertical Lube Oil Pump Motors, 3HP-100HP!

Popular in the power industry, Buffalo Pumps are used in gas and steam turbines. We have vertical motors for these pumps on the shelf! Contact us today for pricing and availability!

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

SERVICE AND REPAIR

Baton Rouge, LA
(800) 877-7520 - Toll Free
(225) 292-0147 - Phone
(225) 292-0154 - Fax

BEAUMONT SALES OFFICE

Beaumont, TX
(409) 866-7508 - Phone
(409) 866-7544 - Fax

LAKE CHARLES SALES OFFICE

Lake Charles, LA
(337) 474-2344 - Phone
(337) 474-9221 - Fax

FT. LAUDERDALE SALES OFFICE

Ft. Lauderdale, FL
(800) 877-7520 - Toll Free

Please call one of our trained Motor Specialists if you do not see a motor that meets your requirements, as our inventory changes daily.

Toll Free Phone (800) 877-7520 · Local Phone (225) 292-7895 · Toll Free Fax (800) 272-7520 · Local Fax (225) 292-9243
Headquarters – 11048 Cloverland Avenue · Baton Rouge, Louisiana · 70809

www.NEMSCO.com · info@NEMSCO.com