

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.



INVENTORY LIST VOLUME #14

Please call one of our trained Motor Specialists if you do not see a motor that meets your requirements, as our inventory changes daily.

Toll Free Phone (800) 877-7520 · Local Phone (225) 292-7895 · Toll Free Fax (800) 272-7520 · Local Fax (225) 292-9243


Headquarters – 11048 Cloverland Avenue · Baton Rouge, Louisiana · 70809

Sales offices also located in Lake Charles, LA, Beaumont, TX and Houston, TX

www.NEMSCO.com · info@NEMSCO.com

X\$D Ultra[®] 841

NEMA Premium VSS Pump Motors



*All pump
motors are
NOT built
the same!*

IP56 Protection
Inverter Duty
Class H Insulation
All Cast Iron Construction
Meets IEEE 841 Standards
Exceeds NEMA MG1 Part 31

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

Phone (800) 877-7520 · (225) 292-7895

Fax (800) 272-7520 · (225) 292-9243

11048 Cloverland Avenue

Baton Rouge, Louisiana 70809

www.NEMSCO.com · info@NEMSCO.com

NEW SPECIALTY INVENTORY LIST

HP	RPM	DESCRIPTION
125	1800	GE, FRAME 447/9T, BALL BRG, TEFC-SD, 2300/4000V
125	3600	GE, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4000V
150	1800	GE, FRAME 447/9T, BALL BRG, TEFC-SD-EE, 2300/4000V
150	3600	GE, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4000V
200	1200	GE, FRAME 508/9L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
200	1200	GE, FRAME 508/9LL, BALL BRG, TEFC-SD-EE, 2300/4000V
200	1800	GE, FRAME 447/9T, BALL BRG, TEFC-SD-EE, 2300/4000V
200	1800	GE, FRAME 508/509L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
200	1800	MARATHON, FRAME 444/5TS, BALL BRG, TEFC-IEEEE841, 460V
200	1800	MARATHON, FRAME 445T, BALL BRG, TEFC-SD-IEEEE841, 460V
200	1800	MARATHON, FRAME 447/9T, BALL BRG, TEFC-SD-EE, 2300/4000V
200	1800	TECO/WEST., FRAME 445/7T, BALL BRG, TEFC-SD-IEEEE841, 460V
200	3600	GE, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4000V
200	3600	GE, FRAME 508/9LS, BALL BRG, TEFC-SD-IEEEE 841, 2300/4000V
200	3600	GE, FRAME 508/9LS, SLEEVE BRG, TEFC-SD-EE, 2300/4000V
200	3600	MARATHON, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4160V
250	1200	GE, FRAME 508/9L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
250	1200	GE, FRAME 508/9LL, BALL BRG, TEFC-SD-EE, 2300/4000V
250	1800	GE, FRAME 447/9T, BALL BRG, TEFC-SD, 2300/4000V
250	1800	GE, FRAME 508/9LL, BALL BRG, TEFC-SD-EE, 2300/4000V
250	1800	GE, FRAME 508/9L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
250	1800	MARATHON, FRAME 447/9T, BALL BRG, TEFC-SD-EE, 2300/4000V
250	3600	GE, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4000V
250	3600	GE, FRAME 447/9TS, BALL BRG, TEFC-SD-IEEEE 841, 460V
250	3600	GE, FRAME 508/9LS, BALL BRG, TEFC-SD-IEEEE 841, 2300/4000V
250	3600	GE, FRAME 508/9LS, SLEEVE BRG, TEFC-SD-EE, 2300/4000V
250	3600	GE, FRAME 509LS, SLEEVE BRG, WP11, 2300/4000V
250	3600	MARATHON, FRAME 447/9TS, BALL BRG, TEFC-SD, 2300/4160V
300	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
300	1200	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-EE, 2300/4000V
300	1800	GE, FRAME 508/9LL, BALL BRG, TEFC-SD-EE, 2300/4000V
300	1800	GE, FRAME 508/9L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
300	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRG, TEFC-SD, 2300/4000V
300	3600	BALDOR/RELIANCE, FRAME 5010/9S, BALL BRG, TEFC API547, 2300V
300	3600	GE, FRAME 5010/11LS, BALL BRG, TEFC-SD-IEEEE 841, 2300/4000V

NEW SPECIALTY INVENTORY LIST (cont.)

300	3600	GE, FRAME 5010/11/LS, SLEEVE BRG, TEFC-SD-EE, 2300/4000V
300	3600	GE, FRAME 509LS, SLEEVE BRG, WP11, 2300/4000V
350	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
350	1200	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-EE, 2300/4000V
350	1800	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-EE, 2300/4000V
350	1800	RELIANCE, FRAME 5008Z, SLEEVE BRG, TEFC API547, 4000V
350	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRG, TEFC-SD, 2300/4160V
350	3600	GE, FRAME 5010/11/LS, SLEEVE BRG, TEFC-SD-EE, 2300/4000V
350	3600	GE, FRAME 509LS, SLEEVE BRG, WP11, 2300/4000V
350	3600	GE, FRAME 5011/10LS, BALL BRG, TEFC-SD-IEEE 841, 2300/4000V
400	1200	GE, FRAME 5010/11L, ROLLER BRG, BELT LOAD, TEFC-SD-EE, 2300/4000V
400	1200	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-EE, 2300/4000V
400	1800	GE, FRAME 509LL, SLEEVE BRG, WP11, 2300/4000V
400	1800	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-IEEE 841, 2300/4000V
400	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRG, TEFC-SD, 2300/4160V
400	3600	GE, FRAME 509LS, SLEEVE BRG, WP11, 2300/4160V
400	3600	GE, FRAME 5010/11/LS, SLEEVE BRG, TEFC-SD-EE, 2300/4000V
400	3600	GE, FRAME 5010/11LS, BALL BRG, TEFC-SD-IEEE 841, 2300/4000V
400	3600	TOSHIBA, FRAME 5009/10/11USS, BALL BRG, TEFC-SD, 4160V
450	1200	GE, FRAME 5011LL, BALL BRG, WP11, 2300/4000V
450	1200	GE, FRAME 5012/13S, BALL BRG, TEFC-SD-EE, 2300/4000V
450	1800	GE, FRAME 509LL, SLEEVE BRG, WP11, 2300/4000V
450	1800	GE, FRAME 5010/11LL, BALL BRG, TEFC-SD-IEEE 841, 2300/4000V
450	1800	TOSHIBA, FRAME 5009/10/11US, BALL BRG, TEFC-SD, 2300/4160V
450	1800	TOSHIBA, FRAME 5009/10/11US, SLEEVE BRG, TEFC-SD-EE, 2300/4160V
450	3600	GE, FRAME 509LS, SLEEVE BRG, WP11, 2300/4160V
450	3600	GE, FRAME 5010/11LS, BALL BRG, TEFC-SD-IEEE 841, 2300/4000V
500	1200	GE, FRAME 5011LL, BALL BRG, WP11, 2300/4000V
500	1200	GE, FRAME 5012/13S, BALL BRG, TEFC-SD-EE, 2300/4000V
500	1800	GE, FRAME 509LL, SLEEVE BRG, WP11, 2300/4000V
500	1800	GE, FRAME 5011LL, SLEEVE BRG, WP11, 2300/4000V
500	1800	GE, FRAME 5012/13S, BALL BRG, TEFC-SD-EE, 2300/4000V
500	1800	TOSHIBA, FRAME 509US, BALL BRG, DP, 2300/4160V
500	1800	TOSHIBA, FRAME 5009/10/11 US, BALL BRG, TEFC-SD, 2300/4160V
500	3600	GE, FRAME 509LS, BALL BRG, WPI, 2300/4000V
500	3600	GE, FRAME 509LS, SLEEVE BRG, WP11 2300/4160V

NEW SPECIALTY INVENTORY LIST (cont.)

600	1200	GE, FRAME 5810/11S, BALL BRG, TEFC, 2300/4000V
600	1800	GE, FRAME 5011LL, SLEEVE BRG, WP11, 2300/4000V
600	3600	GE, FRAME 509LS, SLEEVE BRG, WP11 2300/4160V
600	3600	TOSHIBA, FRAME 5011/12 USS, SLEEVE BRG, WP11, 2300/4000V
700	1200	GE, FRAME 5810/11S, BALL BRG, TEFC, 2300/4000V
700	3600	GE, FRAME 5011LS, BALL BRG, WP11, 2300/4160V
700	3600	TOSHIBA, FRAME 5011/12 USS, SLEEVE BRG, WP11, 2300/4000V
800	3600	GE, FRAME 5011LS, BALL BRG, WP11, 2300/4160V
900	1800	TOSHIBA, FRAME 5810/11/12 US, SLEEVE BRG, WP11, 2300/4000V
900	3600	TOSHIBA, FRAME 5809/10/11 USS, SLEEVE BRG, WP11, 2300/4000V
1000	1800	TOSHIBA, FRAME 5810/11/12 US, SLEEVE BRG, WP11, 2300/4000V
1000	3600	TOSHIBA, FRAME 5809/10/11 USS, SLEEVE BRG, WP11, 2300/4000V
1250	3600	TOSHIBA, FRAME 5809/10/11 USS, SLEEVE BRG, WP11, 2300/4000V
1500	900	TOSHIBA, FRAME, 6813UZ, SLEEVE BRG, WP11, 4000V
1500	1800	TOSHIBA, FRAME 5810/12 US, SLEEVE BRG, WP11, 2300/4000V
1500	3600	GE, FRAME 8213Z, SLEEVE BRG, WPI, 4160V
1500	3600	TOSHIBA, FRAME 5810/12 USS, SLEEVE BRG, WP11, 2300/4000V
1750	3600	GE, FRAME 8213Z, SLEEVE BRG, WPI, 4160V
3500	3600	TOSHIBA, FRAME 6812/13 USS, SLEEVE BRG, WP11, 4000V
4000	3600	TOSHIBA, FRAME 6812/13 USS, SLEEVE BRG, WP11, 4000V

NEW VERTICALS

HP	RPM	DESCRIPTIONS
3	1800	GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
3	1800	GE, FRAME L182LP10, INLINE, TEFC-SD-IEEEE841, 460V
3	1800	GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
3	3600	GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
3	3600	GE, FRAME L182LP10, INLINE, TEFC-SD-IEEEE841, 460V
3	3600	GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
5	1800	GE, FRAME L184HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
5	1800	GE, FRAME L184LP10, INLINE, TEFC-SD-IEEEE841, 460V
5	1800	GE, FRAME L184TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
5	1800	GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
5	3600	GE, FRAME L184HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
5	3600	GE, FRAME L184LP10, INLINE, TEFC-SD-IEEEE841, 460V
5	3600	GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
7.5	1800	GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
7.5	1800	GE, FRAME L213LP10, INLINE, TEFC-SD-IEEEE841, 460V
7.5	1800	GE, FRAME L213TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
7.5	1800	GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
7.5	3600	GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
7.5	3600	GE, FRAME L213LP10, INLINE, TEFC-SD-IEEEE841, 460V
7.5	3600	GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
10	1800	GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
10	1800	GE, FRAME L215LP10, INLINE, TEFC-SD-IEEEE841, 460V
10	1800	GE, FRAME L215TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
10	1800	GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
10	3600	GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
10	3600	GE, FRAME L215LP10, INLINE, TEFC-SD-IEEEE841, 460V
10	3600	GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
15	1800	GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
15	1800	GE, FRAME L254LP10, INLINE, TEFC-SD-IEEEE841, 460V
15	1800	GE, FRAME L254TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
15	1800	GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
15	3600	GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
15	3600	GE, FRAME L254LP10, INLINE, TEFC-SD-IEEEE841, 460V
15	3600	GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
20	1800	GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V

NEW VERTICALS (cont.)

20	1800	GE, FRAME L256LP10, INLINE, TEFC-SD-IEEEE841, 460V
20	1800	GE, FRAME L256TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
20	1800	GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
20	3600	GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/4640V
20	3600	GE, FRAME L256LP10, INLINE, TEFC-SD-IEEEE841, 460V
20	3600	GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
25	1800	GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
25	1800	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V
25	1800	GE, FRAME L284VP16, HIGH THRUST, TEFC-XP, 230/460V
25	1800	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V
25	1800	GE, FRAME L284TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
25	1800	GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
25	3600	GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
25	3600	GE, FRAME L284LP10, INLINE, TEFC-SD-IEEEE841, 460V
25	3600	GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V
25	3600	GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
25	3600	GE, FRAME L284VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
30	1800	GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	1800	GE, FRAME L286LP10, INLINE, TEFC-SD-IEEEE841, 460V
30	1800	GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
30	1800	GE, FRAME L286LP16, INLINE, TEFC-SD-IEEEE841, 460V
30	1800	GE, FRAME L286TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
30	1800	US, FRAME 286TPA12, VHS, HIGH THRUST, TEFC 230/460V
30	3600	GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	3600	GE, FRAME L286LP10, INLINE, TEFC-SD-IEEEE841, 460V
30	3600	GE, FRAME L286LP16, INLINE, TEFC-SD-IEEEE841, 460V
30	3600	GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V
30	3600	GE, FRAME L286VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
30	3600	GE, FRAME L286HPH16, NORMAL THRUST, TEFC-SD-EE, 230/460V
30	3600	GE, FRAME L286TP16, VHS-NRR, HIGH THRUST, TEFC-SD, 230/460V
40	1200	USEM, FRAME 365LPZ, AERATOR, TEFC-SD-EE, 460V
40	1800	GE, FRAME L324LP12, INLINE, TEFC-SD-IEEEE841, 460V
40	1800	GE, FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V
40	1800	GE, FRAME L324LP16, INLINE, TEFC-SD-EE-IEEEE841, 460V
40	1800	GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-EE-IEEEE841, 460V
40	1800	GE, FRAME L324TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V

NEW VERTICALS (cont.)

40	3600	GE, FRAME L324LP12, INLINE, TEFC-SD-IEEEE841, 460V
40	3600	GE FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V
40	3600	GE, FRAME L324HP16, NORMAL THRUST, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
40	3600	GE, FRAME L324LP16, INLINE, TEFC-SD-IEEEE841, 460V
50	1800	GE, FRAME L326LP12, INLINE, TEFC-SD-IEEEE841, 460V
50	1800	GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V
50	1800	GE, FRAME L326LP16, INLINE, TEFC-SD-IEEEE841, 460V
50	1800	GE, FRAME L326TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V
50	1800	GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
50	3600	GE, FRAME L326LP12, INLINE, TEFC-SD-IEEEE841, 460V
50	3600	GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V
50	3600	GE, FRAME L326HP16, NORMAL THRUST TEFC-SD-EE, 460V
50	3600	GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
50	3600	GE, FRAME L326LP16, INLINE, TEFC-SD-IEEEE841, 460V
50	3600	TOSHIBA, FRAME 326LP16, INLINE, TEFC-SD, 460V
60	1800	GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
60	1800	GE, FRAME L364TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364HP16, NORMAL THRUST, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364LP16, INLINE, TEFC-SD-IEEEE841, 460V
60	3600	GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
75	1200	BALDOR, FRAME 405LPZ, AERATOR, TEFC-SD-EE, 460V
75	1800	GE, FRAME L365LP16, INLINE, TEFC-SD-IEEEE841, 460V
75	1800	GE, FRAME L365VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V
75	1800	GE, FRAME L365TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365HP16, NORMAL THRUST, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365LP16, INLINE, TEFC-SD-IEEEE841, 460V
75	3600	GE, FRAME L364TP16, HIGH THRUST, VHS, WPI, 460V, PWS
75	3600	GE, FRAME L365VP16, EXTRA HIGH THRUST, TEFC-SD-IEEEE841, 460V
100	1800	GE, FRAME L405LP16, INLINE, TEFC-SD-IEEEE841, 460V
100	1800	GE, FRAME L405TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
100	1800	GE, FRAME L405VP16, HIGH THRUST, TEFC-SD-EE-IEEEE841, 460V
100	3600	GE, FRAME L405HP16, NORMAL THRUST, HIGH TEMP, TEFC-SD-EE, 460V
100	3600	GE, FRAME L405VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
100	3600	GE, FRAME L405LP16, INLINE, TEFC-SD-EE-IEEEE841, 460V
125	1800	GE, FRAME L444TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V

NEW VERTICALS (cont.)

125	1800	GE, FRAME L444VP16, HIGH THRUST, TEFC-SD-IEEE841, 460V
125	3600	GE, FRAME L444HP16, NORMAL THRUST, TEFC-SD-EE, 460V
125	3600	GE, FRAME L444LP16, INLINE, TEFC-IEEE841, 460V
125	3600	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
150	1800	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
150	1800	GE, FRAME L445TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
150	3600	GE, FRAME L445HP16, NORMAL THRUST, TEFC-SD-EE, 460V
150	3600	GE, FRAME L445LP16, INLINE, TEFC-SD-IEEE841, 460V
150	3600	GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
200	900	USEM, FRAME 5807P, NORMAL THRUST, TEFC-SD-EE, 460V
200	1800	GE, FRAME L447VP16, EXTRA HIGH THRUST, TEFC-SD, 460V
200	1800	GE, FRAME L447TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V
200	3600	GE, FRAME L447LP16, INLINE, TEFC-IEEE841, 460V
200	3600	GE, FRAME L447VP20, EXTRA HIGH THRUST, TEFC-SD, 460V
250	1800	GE, FRAME L449VP20, EXTRA HIGH THRUST, TEFC-SD, 460V
250	3600	GE, FRAME L449VP20, EXTRA HIGH THRUST, TEFC-SD, 460V

SUNDYNE/SUNDSTRAND VERTICAL REPLACEMENTS

SHAFT CODES: M01AA01, M01AA02, M01AA03, M01AA04, M01AA12

HP	RPM	DESCRIPTIONS
3	1800	GE, FRAME L182HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
3	1800	GE, FRAME L182LPZ10, INLINE, TEFC-SD-EE, 460V
3	3600	GE, FRAME L182HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
3	3600	GE, FRAME L213HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
3	3600	GE, FRAME L182LPZ10, INLINE, TEFC-SD-EE, 460V
3	3600	GE, FRAME L213LPZ10, INLINE, TEFC-SD-EE, 460V
5	1800	GE, FRAME L184HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
5	1800	GE, FRAME L184LPZ10, INLINE, TEFC-SD-IEEE841, 460V
5	3600	GE, FRAME L184HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
5	3600	GE, FRAME L213HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
5	3600	GE, FRAME L184LPZ10, INLINE, TEFC-SD-EE, 460V
5	3600	GE, FRAME L213LPZ10, INLINE, TEFC-SD-EE, 460V
7.5	1800	GE, FRAME L213HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
7.5	1800	GE, FRAME L213LPZ10, INLINE, TEFC-SD-EE, 460V
7.5	3600	GE, FRAME L213HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
7.5	3600	GE, FRAME L213LPZ10, INLINE, TEFC-SD-EE, 460V
10	1800	GE, FRAME L215HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
10	1800	GE, FRAME L215LPZ10, INLINE, TEFC-SD-EE, 460V
10	3600	GE, FRAME L215HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
10	3600	GE, FRAME L215LPZ10, INLINE, TEFC-SD-EE, 460V
15	1800	GE, FRAME L254HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
15	1800	GE, FRAME L254LPZ10, INLINE, TEFC-SD-EE, 460V
15	3600	GE, FRAME L254HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
15	3600	GE, FRAME L254LPZ10, INLINE, TEFC-SD-EE, 460V
20	1800	GE, FRAME L256HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
20	1800	GE, FRAME L256LPZ10, INLINE, TEFC-SD-EE, 460V
20	3600	GE, FRAME L256HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
20	3600	GE, FRAME L256LPZ10, INLINE, TEFC-SD-EE, 460V
25	3600	GE, FRAME L284HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
25	3600	GE, FRAME L284HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
25	3600	GE, FRAME L284LPZ10, INLINE, TEFC-SD-EE, 460V
25	3600	GE, FRAME L284LPZ16, INLINE, TEFC-SD-EE, 460V
30	3600	GE, FRAME L286HPZ10, NORMAL THRUST, TEFC-SD-EE, 460V
30	3600	GE, FRAME L286HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V

SUNDYNE/SUNDSTRAND VERTICAL REPLACEMENTS (cont.)

SHAFT CODES: M01AA01, M01AA02, M01AA03, M01AA04, M01AA12

30	3600	GE, FRAME L286LPZ10, INLINE, TEFC-SD-EE, 460V
30	3600	GE, FRAME L286LPZ16, INLINE, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324HPZ12, NORMAL THRUST, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324LPZ12, INLINE, TEFC-SD-EE, 460V
40	3600	GE, FRAME L324LPZ16, INLINE, TEFC-SD-EE, 460V
50	3600	GE, FRAME L326HPZ12, NORMAL THRUST, TEFC-SD-EE, 460V
50	3600	GE, FRAME L326HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
50	3600	GE, FRAME L326LPZ12, INLINE, TEFC-SD-EE, 460V
50	3600	GE, FRAME L326LPZ16, INLINE, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364HPZ12, NORMAL THRUST, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364LPZ12, INLINE, TEFC-SD-EE, 460V
60	3600	GE, FRAME L364LPZ16, INLINE, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365HPZ12, NORMAL THRUST, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365LPZ12, INLINE, TEFC-SD-EE, 460V
75	3600	GE, FRAME L365LPZ16, INLINE, TEFC-SD-EE, 460V
100	3600	GE, FRAME L405HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
100	3600	GE, FRAME L405LPZ16, INLINE, TEFC-SD-EE, 460V
125	3600	GE, FRAME L444HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
125	3600	GE, FRAME L444LPZ16, INLINE, TEFC-SD-EE, 460V
150	3600	GE, FRAME L445HPZ16, NORMAL THRUST, TEFC-SD-EE, 460V
150	3600	GE, FRAME L445LPZ16, INLINE, TEFC-SD-EE, 460V

SURPLUS/USED INVENTORY

HP	RPM	DESCRIPTION
1	1735	MARATHON BRAKE MOTORS, FRAME 143TCVZ FOOTLESS, TENV (10)
40	1170	SIEMENS ALLIS, FRAME 404U, BALL BRG, TEFC, 440V (USED)
50	1180	WEST, FRAME 365T, BALL BRG, ODP, 230/460V (USED)
60	880	RELIANCE, FRAME 405T, BALL BRG, TEFC-SD, 460V, (R&G)(2)
75	3560	GE, FRAME 365TSD, BALL BRG, XSD, TEFC-SD, 460V, (USED)
100	1780	LOUIS ALLIS, FRAME 405T, BALL BRG, TEFC-XP, 230/460V, (USED)
100	1780	MARATHON, FRAME 405TS, BALL BRG, TEFC, 230/460V (R&G)
100	1790	GE, FRAME 405T, BALL BRG, TEFC-SD, 460V(USED)
100	3565	RELIANCE, FRAME 404/5TS, BALL BRG, TEFC-SD, 460V, (R&G)
125	720	RELIANCE, FRAME 449HP16, VSS, NORMAL THRUST, TEFC-EE, 460V (NEW SURPLUS)
125	1200	ALLIS CHALMERS, FRAME 445TS, BALL BRG, TEFC, 460V (R&G)
125	1800	SIEMENS, FRAME 507P24, VSS, HIGH THRUST, 2300V, TEFC, (NEW SURPLUS)
125	3600	RELIANCE, FRAME 444HPZ, VSS, NORMAL THRUST, 460V, TEFC (NEW SURPLUS)
150	1800	GE, FRAME 445TS, BALL BRG, TEFC-IEEEE841, 460V (USED)
150	3570	GE, FRAME L444VP16, VSS, HIGH THRUST, TEFC, 460V (USED)
200	1200	MARATHON, FRAME 447/9T, BALL BRG, TEFC-SD, 2300/4160V (R&G)
200	1765	GE, FRAME 6326S, BALL BRG, TEFC, 460V(USED)
200	1775	GE, FRAME 6286P24, HT, VHS, WPI, 2300V, (USED)
200	1785	RELIANCE, FRAME 445TS, BALL BRG, TEFC-SD, 460V, (R&G)
200	3577	WEST, FRAME 5008H, BALL BRG, WP11, 4000V (R&G)(2)
250	1190	GE, FRAME 5011LL, BALL BRG, TEFC-SD, 4000V (R&G)(Qty2)
250	1790	BALDOR, FRAME 5007LZ, BALL BRG, TEFC-SD, 2300/4160V(NEWSURPLUS)
250	3600	IEM, FRAME 445TDZ, BALL BRG, ODP, 575V/460V, (NEWSURPLUS)
250	3600	MARATHON, FRAME 447/9TS BALL BRG, TEFC-SD, 460V (R&G)
250	3600	TECO/WEST, FRAME 449TS, BALL BRG, TEFC-SD-IEEEE841, 460V (SURPLUS)
300	885	GE, FRAME 8266S, SLEEVE BRG, ODP, 2300V, (USED)
300	1190	GE, FRAME L509TP24, VHS, EXTRA HIGH THRUST, NRR, WPI, 460V (R&G)
300	1190	GE, FRAME L509TP24, VHS, EXTRA HIGH THRUST, NRR, WP11, 460V (R&G)
300	1192	GE, FRAME 5011LL, BALL BRG, TEFC-SD, 2300/4160V(USED)
300	1785	GE, FRAME 509LL, SLEEVE BRG, TEFC-SD, 2300V(R&G)(2)
300	1785	USEM, FRAME 5807S, BALL BRG, TEFC-XP, (USED)
300	3600	GE, FRAME 5011LSC, BALL BRG, F-2, TEFC-SD-EE (NEWSURPLUS)
350	1181	WESTINGHOUSE, FRAME 5008P24, VHS, SRC, WPI (USED) (2)
350	1190	GE, FRAME 5011LL, BALL BRG, TEFC-SD, 2300/4160V, (USED)

SURPLUS/USED INVENTORY (cont.)

350	1775	SIEMENS ALLIS, FRAME 26BS8, BALL BRG, TEFC, 460V(R&G)
350	1800	GE, FRAME 8110S, BALL BRG, TEFC-SD, 2300V (R&G)
350	1800	WEST, FRAME 5010S, BALL BRG, TEFC, 2300V (R&G)
350	3577	IEM, FRAME 5008P24, VSS, HIGH THRUST, TEFC-SD, 460V (R&G)
400	900	WEST, FRAME 685.5P30, VSS-HT, WPI, 4000V(USED)
400	3561	WEST, FRAME 5008H, BALL BRG, WP II, 460V, (USED)(2)
400	3575	TECO/WEST, FRAME 5009A, BALL BRG, TEFC-SD, 460V, (R&G)
400	3576	RELIANCE, FRAME 5010S, BALL BRG, TEFC-SD, 2300/4000V, (R&G)
450	3570	SIEMENS, FRAME 509S, COPPER BAR, SLEEVE BRG, WP II, 2300/4000V (R&G)
500	1780	GE, FRAME 8288S, SLEEVE BRG, WP II, 2300V, (R&G)
600	3579	IEM, FRAME 5808P30, VSS, N/T, WP II, 4160V, (NEW SURPLUS)
700	3580	WESTINGHOUSE, FRAME 6810H, SLEEVE BRG, TEFC, 2300V, (R&G)
700	3600	GE, FRAME 5011LS, SLEEVE BRG, WP II, 2300/4000V (R&G)
800	890	US, FRAME 6810P30, XHT, VSS, WP II, 4000V, (R&G)
800	1790	LOUIS ALLIS, FRAME 687SU, SLEEVE BRG, ODP, 4160V, (USED)
800	3560	LOUIS ALLIS, FRAME 7110BS, SLEEVE BRG, WP II, 2300V, (USED)
800	3600	GE, FRAME 5011LS, SLEEVE BRG, WP II, 2300/4000V (R&G)
1000	3560	GENERAL DYN, FRAME 5810S, SLEEVE BRG, WPI, 2400V, (USED)
1250	1800	RELIANCE, FRAME 5810S, SLEEVE BRG, 2300/4000V, (R&G)
1250	1800	WEST, FRAME 4509, SLEEVE BRG, WP II, 4160V, (R&G)
1250	3565	TECO/WEST, FRAME 5810H, SLEEVE BRG, WP II 2300/4160V (USED)
1500	1779	RELIANCE, FRAME 5810S, SLEEVE BRG, WP II, 2300/4000V (R&G)
1500	1780	GENERAL DYN, FRAME 6810M, SLEEVE BRG, WP II, 4000V, (USED)
1500	3565	TECO/WEST, FRAME 5810H, SLEEVE BRG, WP II 2300/4160V (USED)
1500	3570	LOUISALLIS, FRAME 7310Z, SLEEVE BRG, WP II, 4000V, (R&G)
2000	3580	SIEMENS ALLIS, FRAME 3023SS6, SLEEVE BRG, WP II, 4000V, (USED)
2250	3580	GE, FRAME 8511S, SLEEVE BRG, WP II, 6600/4000V, (USED)

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

NEWS & UPDATES

Here at NEMSCO, we are constantly looking for ways to better serve our customers and the needs of the industry. We are now stocking spline shaft vertical motors for Sundyne/Sundstrand pumps as well as vertical motors for Buffalo Pumps.

Sundyne/Sundstrand Vertical Pump Motor Replacements

Internal spline shaft motors ready to ship in 4-5 days!

GE Vertical Pump Motors Available:
VPZ, High Thrust
LPZ, Inline Thrust
HPZ, Normal Thrust



Also Available: Buffalo Vertical Lube Oil Pump Motors, 3HP-100HP!

Popular in the power industry, Buffalo Pumps are used in gas and steam turbines. We have vertical motors for these pumps on the shelf! Contact us today for pricing and availability!

NEMSCO

NATIONAL ELECTRIC MOTOR & SUPPLY CO.

SERVICE & REPAIR

11048 Cloverland Ave.
Baton Rouge, LA 70809
(225) 292-0147 - Phone
(225) 292-0154 - Fax

HOUSTON SALES OFFICE

6001 S. Loop East
Houston, TX 77033
(713) 750-9242 - Phone
(713) 750-9307 - Fax

BEAUMONT SALES OFFICE

6554 Westwood Blvd.
Beaumont, TX 77707
(409) 866-7508 - Phone
(409) 866-7544 - Fax

LAKE CHARLES SALES OFFICE

(337) 474-2344 - Phone
(337) 474-9221 - Fax

Please call one of our trained Motor Specialists if you do not see a motor that meets your requirements, as our inventory changes daily.

Toll Free Phone (800) 877-7520 · Local Phone (225) 292-7895 · Toll Free Fax (800) 272-7520 · Local Fax (225) 292-9243

Headquarters – 11048 Cloverland Avenue · Baton Rouge, Louisiana · 70809

Sales offices also located in Lake Charles, LA, Beaumont, TX and Houston, TX

www.NEMSCO.com · info@NEMSCO.com

**Nemsco
11048 Cloverland Ave.
Baton Rouge, LA 70809**