

NEW VERTICALS

| HP | RPM | DESCRIPTIONS |
|-----|------|----------------------------------------------------------------|
| 3 | 1800 | GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 3 | 1800 | GE, FRAME L182LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 3 | 1800 | GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 3 | 3600 | GE, FRAME L182HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 3 | 3600 | GE, FRAME L182LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 3 | 3600 | GE, FRAME L182VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 5 | 1800 | GE, FRAME L184HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 5 | 1800 | GE, FRAME L184LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 5 | 1800 | GE, FRAME L184TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 5 | 1800 | GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 5 | 3600 | GE, FRAME L184HP10, NORMALTHRUST, TEFC-SD-EE, 230/460V |
| 5 | 3600 | GE, FRAME L184LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 5 | 3600 | GE, FRAME L184VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 7.5 | 1800 | GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 7.5 | 1800 | GE, FRAME L213LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 7.5 | 1800 | GE, FRAME L213TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 7.5 | 1800 | GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 7.5 | 3600 | GE, FRAME L213HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 7.5 | 3600 | GE, FRAME L213LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 7.5 | 3600 | GE, FRAME L213VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 10 | 1800 | GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 10 | 1800 | GE, FRAME L215LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 10 | 1800 | GE, FRAME L215TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 10 | 1800 | GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 10 | 3600 | GE, FRAME L215HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 10 | 3600 | GE, FRAME L215LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 10 | 3600 | GE, FRAME L215VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 15 | 1800 | GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 15 | 1800 | GE, FRAME L254LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 15 | 1800 | GE, FRAME L254TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 15 | 1800 | GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 15 | 3600 | GE, FRAME L254HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 15 | 3600 | GE, FRAME L254LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 15 | 3600 | GE, FRAME L254VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 20 | 1800 | GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/4640V |

NEW VERTICALS (cont.)

| | | |
|----|------|----------------------------------------------------------------|
| 20 | 1800 | GE, FRAME L256LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 20 | 1800 | GE, FRAME L256TP10, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 20 | 1800 | GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 20 | 3600 | GE, FRAME L256HP10, NORMAL THRUST, TEFC-SD-EE, 230/4640V |
| 20 | 3600 | GE, FRAME L256LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 20 | 3600 | GE, FRAME L256VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 25 | 1800 | GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 25 | 1800 | GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 25 | 1800 | GE, FRAME L284VP16, HIGH THRUST, TEFC-XP, 230/460V |
| 25 | 1800 | GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 25 | 1800 | GE, FRAME L284TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 25 | 1800 | GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 25 | 3600 | GE, FRAME L284HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 25 | 3600 | GE, FRAME L284LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 25 | 3600 | GE, FRAME L284LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 25 | 3600 | GE, FRAME L284VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 25 | 3600 | GE, FRAME L284VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 30 | 1800 | GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 30 | 1800 | GE, FRAME L286LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 30 | 1800 | GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 30 | 1800 | GE, FRAME L286LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 30 | 1800 | GE, FRAME L286TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 30 | 1800 | US, FRAME 286TPA12, VHS, HIGH THRUST, TEFC 230/460V |
| 30 | 3600 | GE, FRAME L286HP10, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 30 | 3600 | GE, FRAME L286LP10, INLINE, TEFC-SD-IEEEE841, 460V |
| 30 | 3600 | GE, FRAME L286LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 30 | 3600 | GE, FRAME L286VP10, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 30 | 3600 | GE, FRAME L286VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 30 | 3600 | GE, FRAME L286HPH16, NORMAL THRUST, TEFC-SD-EE, 230/460V |
| 30 | 3600 | GE, FRAME L286TP16, VHS-NRR, HIGH THRUST, TEFC-SD, 230/460V |
| 40 | 1200 | USEM, FRAME 365LPZ, AERATOR, TEFC-SD-EE, 460V |
| 40 | 1800 | GE, FRAME L324LP12, INLINE, TEFC-SD-IEEEE841, 460V |
| 40 | 1800 | GE, FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 40 | 1800 | GE, FRAME L324LP16, INLINE, TEFC-SD-EE-IEEEE841, 460V |
| 40 | 1800 | GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-EE-IEEEE841, 460V |
| 40 | 1800 | GE, FRAME L324TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |

NEW VERTICALS (cont.)

| | | |
|-----|------|----------------------------------------------------------------|
| 40 | 3600 | GE, FRAME L324LP12, INLINE, TEFC-SD-IEEEE841, 460V |
| 40 | 3600 | GE FRAME L324VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 40 | 3600 | GE, FRAME L324HP16, NORMAL THRUST, TEFC-SD-EE, 460V |
| 40 | 3600 | GE, FRAME L324VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 40 | 3600 | GE, FRAME L324LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 50 | 1800 | GE, FRAME L326LP12, INLINE, TEFC-SD-IEEEE841, 460V |
| 50 | 1800 | GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 50 | 1800 | GE, FRAME L326LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 50 | 1800 | GE, FRAME L326TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 230/460V |
| 50 | 1800 | GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 50 | 3600 | GE, FRAME L326LP12, INLINE, TEFC-SD-IEEEE841, 460V |
| 50 | 3600 | GE, FRAME L326VP12, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 50 | 3600 | GE, FRAME L326HP16, NORMAL THRUST TEFC-SD-EE, 460V |
| 50 | 3600 | GE, FRAME L326VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 50 | 3600 | GE, FRAME L326LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 50 | 3600 | TOSHIBA, FRAME 326LP16, INLINE, TEFC-SD, 460V |
| 60 | 1800 | GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 60 | 1800 | GE, FRAME L364TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |
| 60 | 3600 | GE, FRAME L364HP16, NORMAL THRUST, TEFC-SD-EE, 460V |
| 60 | 3600 | GE, FRAME L364LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 60 | 3600 | GE, FRAME L364VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 75 | 1200 | BALDOR, FRAME 405LPZ, AERATOR, TEFC-SD-EE, 460V |
| 75 | 1800 | GE, FRAME L365LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 75 | 1800 | GE, FRAME L365VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 75 | 1800 | GE, FRAME L365TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |
| 75 | 3600 | GE, FRAME L365HP16, NORMAL THRUST, TEFC-SD-EE, 460V |
| 75 | 3600 | GE, FRAME L365LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 75 | 3600 | GE, FRAME L364TP16, HIGH THRUST, VHS, WPI, 460V, PWS |
| 75 | 3600 | GE, FRAME L365VP16, EXTRA HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 100 | 1800 | GE, FRAME L405LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 100 | 1800 | GE, FRAME L405TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |
| 100 | 1800 | GE, FRAME L405VP16, HIGH THRUST, TEFC-SD-EE-IEEEE841, 460V |
| 100 | 3600 | GE, FRAME L405HP16, NORMAL THRUST, HIGH TEMP, TEFC-SD-EE, 460V |
| 100 | 3600 | GE, FRAME L405VP16, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 100 | 3600 | GE, FRAME L405LP16, INLINE, TEFC-SD-EE-IEEEE841, 460V |
| 125 | 1800 | GE, FRAME L444TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |

NEW VERTICALS (cont.)

| | | |
|-----|------|------------------------------------------------------------|
| 125 | 1800 | GE, FRAME L444VP16, HIGH THRUST, TEFC-SD-IEEEE841, 460V |
| 125 | 3600 | GE, FRAME L444HP16, NORMAL THRUST, TEFC-SD-EE, 460V |
| 125 | 3600 | GE, FRAME L444LP16, INLINE, TEFC-IEEEE841, 460V |
| 125 | 3600 | GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 150 | 1800 | GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 150 | 1800 | GE, FRAME L445TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |
| 150 | 3600 | GE, FRAME L445HP16, NORMAL THRUST, TEFC-SD-EE, 460V |
| 150 | 3600 | GE, FRAME L445LP16, INLINE, TEFC-SD-IEEEE841, 460V |
| 150 | 3600 | GE, FRAME L445VP16, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 200 | 900 | USEM, FRAME 5807P, NORMAL THRUST, TEFC-SD-EE, 460V |
| 200 | 1800 | GE, FRAME L447VP16, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 200 | 1800 | GE, FRAME L447TP16, HIGH THRUST, VHS-NRR, TEFC-SD-EE, 460V |
| 200 | 3600 | GE, FRAME L447LP16, INLINE, TEFC-IEEEE841, 460V |
| 200 | 3600 | GE, FRAME L447VP20, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 250 | 1800 | GE, FRAME L449VP20, EXTRA HIGH THRUST, TEFC-SD, 460V |
| 250 | 3600 | GE, FRAME L449VP20, EXTRA HIGH THRUST, TEFC-SD, 460V |